

SAFETY DATA SHEET

Date issued: 7-Jun-16

Cotton Picker Spindle Cleaner

SECTION 1: PRODUCT IDENTIFICATION

Product Name Cotton Picker Spindle Cleaner

Product Code # 627

CAS# Not applicable for mixtures

Royal Mfg Co, LP Manufacturer Not applicable Synonym Not applicable **Chemical Name Chemical Formula** Not applicable

Trade Secret No

Address 516 S. 25th West Ave.

Tulsa, OK 74127

(918) 584-2671 Phone

Emergency Contact CHEMTREC (24 hour Emergency Telephone), call: 1-800-424-9300

International CHEMTREC, call: 1-800-255-3924

Recommended Use Cotton Picker Spindle Cleaner

Restrictions on Use This product must not be used in applications other than recommended in

Section 1 without taking the advice from supplier/manufacturer.

SECTION 2: HAZARD(S) IDENTIFICATION

Classifications: Skin Corrosion: Category 3

Aspiration: Category 1

Aquatic Hazard – Acute: Category 3 Aquatic Hazard - Long-term: Category 4

Pictograms:

Precautionary



Signal Word: Danger

Hazard Statements: Causes mild skin irritation.

May be fatal if swallowed and enters airways.

Harmful to aquatic life.

May cause long lasting harmful effects to aquatic life.

P101: If medical advice is needed have product container or label at hand Statements: P102: Keep out of reach of children

P103: Read Label before use

P210: Keep away from Heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking.

P211: So not spray on an open flame or other ignition source.

P232: Protect from Moisture.

P233: Keep container tightly closed



Royal Mfg Co LP, P.O. Box 3308, Tulsa, OK 74101 | 918-584-2671 | www.royalmfg.com |

Product Code: <<pre>codenum>> Revision Date: June 2015 Page 1 of 5

Date issued: 7-Jun-16

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P404: Store in a closed container

Percent of the mixture consisting of ingredient(s) of unknown toxicity:

None

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Designation% of Comp.CAS No.Dodecylphenol Ethoxylate5 - 25%ConfidentialGlycol Ethers1 - 5%ConfidentialEthylene Oxide< 0.1%</td>Confidential

SECTION 4: FIRST AID MEASURES

Eyes: Flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.

Skin: Immediately remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15

minutes. Call a physician immediately.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration using a

pocket mask type resuscitator. Call a physician immediately.

Ingestion: Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious

person.

SECTION 5: FIRE FIGHTING MEASURES

Fire Hazard: No.

Flash Point °C (°F): > 93.0° (199.4°)

Flammable Limits: LOWER: Not determined UPPER: Not determined

Extinguishing Media: Water Mist

Foam
Dry Powder

CO2

Special protective Equipment

Not determined

and firefighting procedures:

Unusual Fire & Explosion: Not determined

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged container or spilled material unless wearing appropriate protective clothing/equipment. Ventilate the closed area.

Spills / Leaks: Isolate the spill/leak area in all directions for about 50 meters (150 ft) for liquids and about 25 meters (75 ft)

for solids and semi-solids. Eliminate all ignition sources (no smoking, flares, sparks/flames in close vicinity).

Keep unauthorized persons away and ventilate closed space before entering

SECTION 7: HANDLING & STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding

unnecessary exposure and prompt removal of material from eyes skin and clothing.

Storage: Store in a sealed container in a cool, dry environment.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Royal Mfg Co LP, P.O. Box 3308, Tulsa, OK 74101 | 918-584-2671 | www.royalmfg.com |



Product Code: 627 Revision Date: June 2015 Page 2 of 5

Date issued: 7-Jun-16

Exposure Limits:

OSHA Permissible 5 mg/m³

Exposure Limits (PELs):

Threshold Limit Values 10 mg/m³

(TLVs):

Engineering Controls:

N/A

Personal Protective Equipment:

Face:

Eyes: Safety Glasses

Skin: Gloves

Respiratory:

Pictograms:



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless Liquid **Upper Flammability/Explosive Limit:** Not determined Odor: Petroleum **Lower Flammability/Explosive Limit:** Not determined **Odor Threshold:** Not determined **Vapor Pressure:** Not determined pH: Not determined **Vapor Density:** Not determined Melting Point °C (°F): Not determined Vapor Temperature °C (°F): Not determined

Freezing Point °C (°F): Not determined Relative Density/Specific Gravity: 0.9160

Pour Point °C (°F): -40.0° (-40.0°) **Solubility:**

Boiling Range:N/APartition Coefficient:Not determinedFlash Point °C (°F):155.0° (311.0°)Auto-ignition temperature:Not determined

Flash Point Method

Evaporation Rate:

used:

ASTM D92

Not determined Viscosity (cSt): 19.00 @ 40° C

Decomposition temperature:

Water Soluble

Not determined

Flammability: Flammable 4 VOC Content: N/A VOC Less Water & Exempts: N/A

SECTION 10: STABILITY AND REACTIVITY

Chemical Reactivity: Not determined

Chemical Stability: Stable under normal ambient temperature and conditions. **Conditions to Avoid:** Extreme temperature and direct sunlight/heat/flame

Materials to Avoid: Strong oxidizing agents

Hazardous Decomposition: Not expected

SECTION 11: TOXICOLOGICAL INFORMATION

Inhalation

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Not known

Measure of toxicity:

Not known

Ingestion

ISO 9001:2008

Royal Mfg Co LP, P.O. Box 3308, Tulsa, OK 74101 | 918-584-2671 | www.royalmfg.com

Product Code: 627 Revision Date: June 2015 Page 3 of 5

Date issued: 7-Jun-16

Description of effects from short- and long-term exposure:

Not known

Description of symptoms: May cause nausea and vomiting.

Measure of toxicity:

Not known

Eyes

Description of effects from short- and long-term exposure:

Not known

Description of symptoms: Causes eye irritation.

Measure of toxicity:

Not known

Skin

Description of effects from short- and long-term exposure:

Not known

Description of symptoms: May cause skin irritation. **Measure of toxicity:**

Not known

Carcinogens listing:

NTP: No IARC: No OSHA: No GHS: No

Chronic Toxicity: No

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: No data available
Biodegradability: No data available
Bioaccumulation: No data available

SECTION 13: DISPOSAL CONSIDERATION

Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Regulations may vary by location.

SECTION 14: TRANSPORT INFORMATION

Not regulated in transportation by DOT/IMO/IATA. Not classified as dangerous in the meaning of transport regulation.

Pictograms:

SECTION 15: REGULATORY INFORMATION

OSHA Regulated Hazard: 0

DOT Regulated: No

E C Classification: Non-applicable

TSCA Status: In compliance with TSCA inventory requirements for commercial purposes



Product Code: 627 Revision Date: June 2015 Page 4 of 5

Date issued: 7-Jun-16

SARA 312 Regulated Chemical(s): Yes
SARA 313 Regulated Chemical(s): Yes

EPA Registration Number: Non-applicable
California Prop. 65: Ethylene Ovide

California Prop. 65:Ethylene Oxide0.000061%

PA Right to know Chemical(s): None known

NJ Right to know Chemical(s): None known

Additional State Regulations: None known

Canada: Non-applicable

SECTION 16: OTHER INFORMATION



HMIS

Spindle Cleaner	
HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	В

The above Information is based on the present state of our knowledge of the product at the time of publication. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy themselves that the product is entirely suitable for their purposes.

DISCLAIMER This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by N/A to be dependable and is accurate to the best of the company's knowledge. The information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. N/A assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.



Royal Mfg Co LP, P.O. Box 3308, Tulsa, OK 74101 | 918-584-2671 | www.royalmfg.com |

Product Code: 627 Revision Date: June 2015 Page 5 of 5