

# SAFETY DATA SHEET

Date issued: 14-Jun-16

# Dual Purpose Waylube 32 SECTION 1: PRODUCT IDENTIFICATION

**Product Name** Dual Purpose Waylube 32

Product Code # 609

**CAS** # Not applicable for mixtures

ManufacturerRoyal Mfg Co, LPSynonymNot applicableChemical NameNot applicableChemical FormulaNot applicable

Trade Secret No

**Address** 516 S. 25th West Ave.

Tulsa, OK 74127

**Phone** (918) 584-2671

**Emergency Contact** CHEMTREC (24 hour Emergency Telephone), call: 1-800-424-9300

International CHEMTREC, call: 1-800-255-3924

Recommended Use N/A

**Restrictions on Use** This product must not be used in applications other than recommended in

Section 1 without taking the advice from supplier/manufacturer.

## **SECTION 2: HAZARD(S) IDENTIFICATION**

**Classifications:** Aquatic Hazard – Acute: Category 3

Aquatic Hazard - Long-term: Category 4

Pictograms: None Signal Word: None

Hazard Statements: Harmful to aquatic life.

May cause long lasting harmful effects to aquatic life.

Precautionary Statements:

P101: If medical advice is needed have product container or label at hand

P102: Keep out of reach of children

P103: Read Label before use

P210: Keep away from Heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking.

P211: So not spray on an open flame or other ignition source.

P232: Protect from Moisture. P233: Keep container tightly closed P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P404: Store in a closed container

Percent of the mixture consisting of ingredient(s) of unknown toxicity:

None



Date issued: 14-Jun-16

# **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Designation CAS No. % of Comp.

Phosphoric acid esters, amine salt 67763-14-8 < 1.0%

Toluene 108-88-3 < 0.1%

#### **SECTION 4: FIRST AID MEASURES**

Eyes: Flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.

**Skin:** Immediately remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15

minutes. Call a physician immediately.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration using a

pocket mask type resuscitator. Call a physician immediately.

**Ingestion:** Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious

person.

## **SECTION 5: FIRE FIGHTING MEASURES**

Fire Hazard: No

**Flash Point °C (°F):** > 93.0° (199.4°)

Flammable Limits: LOWER: Not determined UPPER: Not determined

**Extinguishing Media:** Water Mist

Foam Dry Powder CO2

Special protective Equipment and firefighting procedures:

Not determined

Unusual Fire & Explosion: Not determined

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal** Vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged container or **Precautions:** spilled material unless wearing appropriate protective clothing/equipment. Ventilate the closed area.

Spills / Leaks: Isolate the spill/leak area in all directions for about 50 meters (150 ft) for liquids and about 25 meters (75 ft)

for solids and semi-solids. Eliminate all ignition sources (no smoking, flares, sparks/flames in close vicinity).

Keep unauthorized persons away and ventilate closed space before entering

#### **SECTION 7: HANDLING & STORAGE**

Handling: Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding

unnecessary exposure and prompt removal of material from eyes skin and clothing.



Royal Mfg Co LP, P.O. Box 3308, Tulsa, OK 74101 | 918-584-2671 | www.royalmfg.com |

Product Code: 610 Revision Date: June 2015 Page **2** of **5** 

Date issued: 14-Jun-16

Storage: Store in a sealed container in a cool, dry environment.

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Exposure Limits:** 

**OSHA Permissible** 5 mg/m<sup>3</sup>

**Exposure Limits (PELs):** 

**Threshold Limit Values** 10 mg/m<sup>3</sup>

(TLVs):

**Engineering Controls:** 

N/A

**Personal Protective Equipment:** 

Face:

Eyes: Safety Glasses

Skin: Gloves Respiratory:

**Pictograms:** 



#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Upper Flammability/Explosive Limit:** Appearance: Amber Liquid Not determined Odor: **Lower Flammability/Explosive Limit:** Petroleum / Characteristic Not determined Odor Threshold: Not determined Vapor Pressure: Not determined Not determined Vapor Density: Not determined Melting Point °C (°F): Not determined Vapor Temperature °C (°F): Not determined

Freezing Point °C (°F): Not determined **Relative Density/Specific Gravity:** 0.8600

Pour Point °C (°F): -30.0° (-22.0°) Solubility:

**Boiling Range: Partition Coefficient:** Not determined Flash Point °C (°F): > 199.4° (93.0°) **Auto-ignition temperature:** Not determined ASTM D92 Not determined **Decomposition temperature:** 

Not Water Soluble

**Flash Point Method** 

used:

**Evaporation Rate:** Not determined Viscosity (cSt): 32.00 @ 40° C

Flammability: None **VOC Content:** N/A **VOC Less Water & Exempts:** N/A

## **SECTION 10: STABILITY AND REACTIVITY**

**Chemical Reactivity:** Not determined

**Chemical Stability:** Stable under normal ambient temperature and conditions. **Conditions to Avoid:** Extreme temperature and direct sunlight/heat/flame

Materials to Avoid: Strong oxidizing agents

**Hazardous Decomposition:** Not expected

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Inhalation** 

Description of effects from short- and long-term exposure:

Not known



Product Code: 610 Revision Date: June 2015 Page 3 of 5

Date issued: 14-Jun-16

**Description of symptoms:** 

Not known

Measure of toxicity:

Not known

Ingestion

Description of effects from short- and long-term exposure:

Not known

**Description of symptoms:** May cause nausea and vomiting.

Measure of toxicity:

Not known

**Eyes** 

**Description of effects from short- and long-term exposure:** 

Not known

**Description of symptoms:** Contact may cause eye irritation.

Measure of toxicity:

Not known

Skin

**Description of effects from short- and long-term exposure:** 

Not known

**Description of symptoms:** 

Prolonged or repeated skin contact may cause irritation.

Measure of toxicity:

Not known

#### Carcinogens listing:

NTP: No IARC: No OSHA: No GHS: No

**Chronic Toxicity: No** 

## **SECTION 12: ECOLOGICAL INFORMATION**

Aquatic Toxicity: No data available
Biodegradability: No data available
Bioaccumulation: No data available

#### **SECTION 13: DISPOSAL CONSIDERATION**

Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Regulations may vary by location.

#### **SECTION 14: TRANSPORT INFORMATION**

UN Number:

Proper Shipping Name: Royal Waylube 32

**Pictograms:** 

## **SECTION 15: REGULATORY INFORMATION**



Product Code: 610 Revision Date: June 2015 Page 4 of 5

Date issued: 14-Jun-16

**OSHA Regulated Hazard:** No **DOT Regulated:** No

**E C Classification:** Non-applicable

TSCA Status: In compliance with TSCA inventory requirements for commercial purposes

SARA 312 Regulated Chemical(s): No SARA 313 Regulated Chemical(s): No

**EPA Registration Number:** Non-applicable

California Prop. 65:Toluene0.010772%

Boric Acid 0.010772% Benzene 0.000001%

PA Right to know Chemical(s): None known

NJ Right to know Chemical(s): None known

Additional State Regulations: None known

Canada: Non-applicable

#### **SECTION 16: OTHER INFORMATION**





Waylube 32 / Rock Drill 32	
HEALTH	0
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	В

The above Information is based on the present state of our knowledge of the product at the time of publication. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy themselves that the product is entirely suitable for their purposes.

**DISCLAIMER** This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Royal Mfg Co, LP to be dependable and is accurate to the best of the company's knowledge. The information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. Royal Mfg Co, LP assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

# **End of SDS**



Royal Mfg Co LP, P.O. Box 3308, Tulsa, OK 74101 | 918-584-2671 | www.royalmfg.com |

Product Code: 610 Revision Date: June 2015 Page **5** of **5**